

AMENDMENTS TO CLAIMS

1. (Currently Amended) A modulated optical mouse for a personal computer, the optical mouse comprising:

a body having a predetermined space defined inside the body and having at least one lead securely provided inside the space and ~~feet each~~ electrically connected to at least one of the feet contact line extending from the body;

at least one light emitting diode mounted inside the space to electrically connect with the lead, the light emitting diode being at a bottom of the body; and

at least one sensor received in the space to electrically connect with the lead and to ~~correspond to the reflective sense~~ light reflected from a reflective surface ~~(table surface)~~ of by the light emitting diode.

*a cont* 2. (Currently Amended) The ~~modulated~~ modular optical mouse as claimed in claim 1 further comprising at least one control element received in the space of the body to be electrically connected to the lead.

3. (Currently Amended) The ~~modulated~~ modular optical mouse as claimed in claim 2, wherein the control element is a control IC.

4. (Currently Amended) The ~~modulated~~ modular optical mouse as claimed in claim 1 further comprising an optical element received in the space of the body.

5. (Currently Amended) The ~~modulated~~ modular optical mouse as claimed in claim 4, wherein the optical element is composed of a light guide element adjacent to the light emitting diode and a second light guide element adjacent to the sensor.

6. (Currently Amended) The ~~modulated~~ modular optical mouse as claimed in claim 4, wherein the at least one light emitting diode and the at least one sensor are encapsulated inside the body.

Serial Number 10/057,918

7. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 2, wherein the light emitting diode, the sensor and the control element are C.O. B. Type.

8. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 1, wherein the body is ~~so~~ adapted to be attached to a circuit board to align with a through hole in the optical mouse.

9. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 2, the sensor and the control element are integrally formed.

10. (Currently Amended) A modulated optical mouse for a personal computer, the optical mouse comprising:

a body having a predetermined space defined inside the body and having at least one lead securely provided inside the space and ~~feet each~~ electrically connected to at least one of the feet contact tine extending from the body;

at least one light emitting diode mounted inside the space to electrically connect with the lead, the light emitting diode being at a bottom of the body;

an optical element securely received in the space and adjacent to the light emitting diode; and

at least one sensor received in the space to electrically connect with the lead and to correspond to the light emitting diode,

whereby the light from the light emitting diode is ~~able to be~~ refracted by the optical element and picked up by the sensor.

11. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 10 further comprising at least one control element received in the space of the body to be electrically connected to the lead.

Serial Number 10/057,918

12. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 11, wherein the control element is a control IC.

13. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 10 further comprising an optical element received in the space of the body.

14. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 13, wherein the optical element is composed of a first lens adjacent to the light emitting diode and a second lens adjacent to the sensor.

15. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 11, wherein the light emitting diode and the at least one sensor are encapsulated inside the body.

al cont 16. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 11, wherein the light emitting diode, the sensor and the control element are C.O. B. Type.

17. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 10, wherein the body is so adapted to be attached to a circuit board to align with a through hole in the optical mouse.

18. (Currently Amended) The ~~modulated~~modular optical mouse as claimed in claim 11, the sensor and the control element are integrally formed.

19. (Currently Amended) A modulated optical mouse for a personal computer, the optical mouse comprising:

a body having a predetermined space defined inside the body and having at least one lead securely provided inside the space and ~~feet each~~ electrically connected to at least one of the feet contact tine extending from the body;

Serial Number 10/057,918

at least one light emitting diode mounted inside the space to electrically connect with the lead, the light emitting diode being at a bottom of the body;

an optical element securely received in the space and adjacent to the light emitting diode;

at least one control element received in the space of the body to be electrically connected to the lead; and

*at cont* at least one sensor received in the space to electrically connect with the lead and to correspond to the light emitting diode,

whereby the light from the light emitting diode is ~~able to be~~ refracted by the optical element and picked up by the sensor.

---